

NAME

apvlv - PDF/DJVU/EPUB/HTML/TXT viewer with vim-like behaviour

SYNOPSIS

apvlv [options] [file]

DESCRIPTION

apvlv is a PDF/DJVU/EPUB/HTML/TXT viewer, which behaves like vim.

OPTIONS

-c *file*

Load configuration from *file* instead of the default *~/.apvlvrc*

-h

Show help message and exit

-v

Show version and exit

COMMANDS

The following command keys can be used inside apvlv. Some of them may be prefixed by a number (as in pressing "13G"), this is indicated by a *count* in their description. Unless noted otherwise, the default value for the number is 1.

- o Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file
- O Select a directory to display
- t Display file chooser to open a PDF/DJVU/EPUB/HTML/TXT file in a new tab
- T Select a directory to display in a new tab
- R Reload the current file
- r Rotate the document clockwise by 90 degrees
- G Show page number *count*
- gt Show next tab

gT Show previous tab

PageDown, C-f
 Go forward *count* pages

PageUp, C-b
 Go backward *count* pages

C-d Go forward *count* half pages

C-u Go backward *count* half pages

H Scroll to page head

M Scroll to page middle

L Scroll to page bottom

s skip some pages *count*

C-p, Up, k
 Scroll up *count* units

C-n, Down, h
 Scroll down *count* units

Backspace, Left, h
 Scroll left *count* units

Space, Right, l
 Scroll right *count* units

/ *string*
 Search forwards for *string*

? *string*
 Search backwards for *string*

f Toggle between fullscreen and window mode

zi Zoom in

zo Zoom out

zw Zoom to fit window width

zh Zoom to fit window height

m *char*

Mark the current position to *char*, so that it can be recalled by pressing *char*

' *char* Return to the mark position *char*

'' Return to the last position

q Close the current window

v Select a area

C-v Select a rectangle area

y copy the select area text to clipboard

c toggle content display

U underline selected text

A annotate selected text

C comment selected text

SETTINGS

These can be set in ~/.apv1vrc with "set *setting* [= *value*]".

fullscreen = yes/no

Enable/Disable fullscreen

width = *int*

Default window width

`height = int`

Default window height

`fix_width = int`

fixed width

`fix_height = int`

fixed height

`defaultdir = path`

Default directory for the open dialogue

`zoom = mode`

Set default zoom level

`normal`

The application sets the default zoom value

`fitwidth`

Fit pages to window width

`fitheight`

Fit pages to window height

float 1.0 for 100%, 2.0 for 200%, etc.

`content = yes/no`

Show content view first

`content_follow_mode = mode`

Set default content follow mode

`none` Not follow any content, just by user press Enter.

`page` Just follow page of book.

`always`

Always follow any resources.

`continuous = yes/no`

Show PDF/DJVU/EPUB/HTML/TXT pages continuously or not.

`continuouspad = int`

Padding between pages for continuous = yes

`autoscrollpage = yes/no`

Enable/Disable scrolling the pages when hitting a page tail/head

`noinfo = yes/no`

Disable/Enable the usage of ~/.apv1vinfo

`pdfcache = int`

Set pdf cache size

`[no]cache = yes/no`

Disable/Enable cache

`scrollbar = yes/no`

Set show scrollbar or not

`visualmode = yes/no`

Set use visual mode to select and copy text or not

`wrapscan = yes/no`

Set wrapscan to search text or not

`doubleclick = action`

Set default double click action

`none` Selection nothing

`word` Selection a word under the curcor to clipboard

`line` Selection a line under the curcor to clipboard

`page` Selection a page under the curcor to clipboard

`guioptions = m/T/mT`

Weather display menu, toolbar or mean and toolbar.

`autoreload = int`

If auto reload document after some seconds

`inverted = yes/no`

If use inverted mode for pdf page

`background = color`

Set background color

PROMPT

Like the COMMANDS, but prefixed with a colon:

`:h[elp]`

Display the help document

`:q[uit]` Close the current window

`:o[pen] file`

Open *file*

`:doc file`

Load *file* into the current window

`:TOtext [file]`

Translate *file* (or the current page) to a text file

`:pr[int]`

Print the current document

`:tabnew`

Create a new tab

`:sp` Horizontally split the current window

`:vsp` Vertically split the current window

`:fp, :forwardpage [int]`

Go forward *int* pages (1 by default)

`:bp, :prewardpage [int]`

Go backward *int* pages (1 by default)

:g, :goto *int*

Go to page *int*

:z[oom] *mode*

Set zoom to *mode* (see "set zoom" in SETTINGS)

:*int* Go to page *int*

:content

toggle content display

AUTHORS

apv1v was written by Alf <naihe2010@126.com>.

This manual page was originally written by Stefan Ritter <xen0@thehappy.de> for the Debian project (but may be used by others), and was rewritten more beautifully by Daniel Friesel <foobar@derf.homelinux.org>.